



finder[®]
SWITCH TO THE FUTURE

REACH - Verordnung (EU) Nr. 1907/2006

REACH ist eine EU-Verordnung über Chemikalien, deren Kontrolle und sicheren Gebrauch. Diese umfasst die Registrierung, Bewertung, Zulassung und Beschränkung von chemischen Substanzen (REACH steht für **R**egistration, **E**valuation, **A**uthorization and **R**estriction of **C**hemicals).

REACH ersetzt zahlreiche EU-Richtlinien über chemische Substanzen, die entweder für sich alleine oder als Bestandteile von Zubereitungen benutzt werden. REACH ergänzt andere Richtlinien bezüglich Umweltschutz und Sicherheit.

Das Hauptziel von REACH ist der Schutz vor Gefahren der menschlichen Gesundheit und der Umwelt, die durch den Gebrauch von chemischen Substanzen entstehen können, und zwar für sich alleine oder als Bestandteil eines Gemisches oder Erzeugnisses.

Diese Vorgaben sind ein Teil der von FINDER seit geraumer Zeit verfolgten Rahmenbedingungen.

Als Endanwender von chemischen Substanzen arbeitet FINDER aktiv mit den Lieferanten zusammen, wobei die Sicherheitsinformationen jeder Substanz oder Zubereitung kontinuierlich überwacht wird.

Wir betonen, dass FINDER an den chemischen Substanzen und/oder Zubereitungen, die im eigenen Produktionsprozess benutzt werden, keine Veränderungen vornimmt.

Im Einklang mit dem durch die Richtlinie vorgegebenen Zeitplan verpflichtet sich FINDER, besonders in Bezug auf die auf die aktualisierte Liste von Substanzen wie von der ECHA – Europäische Chemikalien Agentur – veröffentlicht werden, seine Lieferanten mit Sorgfalt auszuwählen und eine gute Kommunikation mit seinen Kunden sicherzustellen. Die folgenden Seiten zeigen die letzte Aktualisierung der hochgefährlichen Stoffe "Candidate list of substances of very high concern for authorisation (SVHC)", und den Auszug der Gefahrenstoffliste des Anhangs XVII der REACH-Verordnung.

Die Ausrichtung des Unternehmens FINDER wird zudem durch sein Umwelt - Management-System ISO 14001 gestärkt, da alle Lieferanten von Materialien und Chemikalien vor Gebrauch überprüft werden. Außerdem hat FINDER – als Endanwender von chemischen Substanzen – vorbeugende Maßnahmen zur Risikovermeidung implementiert und sichert mit der Einführung eines firmenweiten Gesundheits- und Sicherheits-Management-Systems den Schutz der an den verschiedenen Produktionsprozessen beteiligten Mitarbeiter

REACH – Hochgefährliche Substanzen
Candidate List of Substances of Very High Concern – SVHC

<https://echa.europa.eu/candidate-list-table>

Finder erklärt, dass keines seiner Produkte die in der Tabelle aufgeführten Substanzen (SVHC) in einer Konzentration von über 0,1 % des Gewichts enthalten.

| Name der Substanz | EC-nummer | | CAS-nummer |
|---|-----------|--------------|------------|
| | EC-nummer | CAS-nummer | |
| Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol | | | 700-960-7 |
| Phenol, methylstyrenated | 270-966-8 | 68512-30-1 | - |
| Bumetrizole (UV-326) | | | 223-445-4 |
| 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one | | | 438-340-0 |
| 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329) | | | 221-573-5 |
| 2,4,6-tri-tert-butylphenol | | | 211-989-5 |
| Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | 278-355-8 |
| Bis(4-chlorophenyl) sulphone | | | 201-247-9 |
| reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine | | | 473-390-7 |
| Perfluoroheptanoic acid and its salts | | | - |
| Ammonium perfluoroheptanoate | 228-098-2 | 6130-43-4 | - |
| potassium perfluoroheptanoate | - | 21049-36-5 | - |
| Perfluoroheptanoic acid | 206-798-9 | 375-85-9 | - |
| Sodium perfluoroheptanoate | 243-518-4 | 20109-59-5 | - |
| Melamine | | | 203-615-4 |
| Isobutyl 4-hydroxybenzoate | | | 224-208-8 |
| bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof | | | - |
| Bis(2-ethylhexyl) tetrabromophthalate | 247-426-5 | 26040-51-7 | - |
| Barium diboron tetraoxide | | | 237-222-4 |
| 4,4'-sulphonyldiphenol | | | 201-250-5 |
| 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol | | | 201-236-9 |
| 1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene] | | | 253-692-3 |
| N-(hydroxymethyl)acrylamide | | | 213-103-2 |
| tris(2-methoxyethoxy)vinylsilane | | | |
| S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate X4261 | | | 924-42-5 |
| 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol | | | 204-327-1 |
| (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) | | | - |
| (3E)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one | - | 1782069-81-1 | - |
| (1R,3E,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one | - | 95342-41-9 | - |
| (1S,3Z,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one | - | 852541-25-4 | - |
| (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene] bicyclo[2.2.1]heptan-2-one | 253-242-6 | 36861-47-9 | - |
| (1R,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one | - | 741687-98-9 | - |
| (1S,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one | - | 852541-30-1 | - |
| (1R,3Z,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one | - | 852541-21-0 | - |
| Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | | | - |
| Phenol, 4-dodecyl, branched | - | 210555-94-5 | - |
| 4-isododecylphenol | - | 27459-10-5 | - |
| Phenol, 4-isododecyl- | - | 27147-75-7 | - |

| | | | | |
|--|-----------|--------------|-----------|------------|
| Phenol, dodecyl-, branched | 310-154-3 | 121158-58-5 | | |
| Phenol, (tetrapropenyl) derivatives | - | 74499-35-7 | | |
| Phenol, tetrapropylene- | - | 57427-55-1 | | |
| orthoboric acid, sodium salt | | | - | - |
| boric acid (H3BO3), sodium salt, hydrate | - | 25747-83-5 | | |
| Boric acid (H3BO3), disodium salt | - | 22454-04-2 | | |
| Trisodium orthoborate | 238-253-6 | 14312-40-4 | | |
| Boric acid, sodium salt | 215-604-1 | 1333-73-9 | | |
| Orthoboric acid, sodium salt | 237-560-2 | 13840-56-7 | | |
| Boric acid (H3BO3), sodium salt (1:1) | - | 14890-53-0 | | |
| Medium-chain chlorinated paraffins (MCCP) UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17 | | | - | - |
| Alkanes, C14-16, chloro | - | 1372804-76-6 | | |
| Alkanes, C14-17, chloro | 287-477-0 | 85535-85-9 | | |
| di-, tri- and tetrachlorotetradecane | 950-299-5 | - | | |
| Tetradecane, chloro derivs. | - | 198840-65-2 | | |
| glutaral | | | 203-856-5 | 111-30-8 |
| 4,4'-(1-methylpropylidene)bisphenol | | | 201-025-1 | 77-40-7 |
| 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | | | - | - |
| (2R)-3-(4-tert-butylphenyl)-2-methylpropanal | - | 75166-31-3 | | |
| 2-(4-tert-butylbenzyl)propionaldehyde | 201-289-8 | 80-54-6 | | |
| (2S)-3-(4-tert-butylphenyl)-2-methylpropanal | - | 75166-30-2 | | |
| 2,2-bis(bromomethyl)propane-1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA) | | | - | - |
| 2,2-dimethylpropan-1-ol, tribromo derivative (TBNPA) | 253-057-0 | 36483-57-5 | | |
| 3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) | - | 1522-92-5 | | |
| 2,2-bis(bromomethyl)propane-1,3-diol (BMP) | 221-967-7 | 3296-90-0 | | |
| 2,3-dibromo-1-propanol (2,3-DBPA) | 202-480-9 | 96-13-9 | | |
| 1,4-dioxane | | | 204-661-8 | 123-91-1 |
| Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety | | | - | - |
| Stannane, dioctyl-, bis(coco acyloxy) derivs. | 293-901-5 | 91648-39-4 | | |
| dioctyl tin dilaurate; stannane, dioctyl-, bis(coco acyloxy) derivs. | - | - | | |
| Diocetyl tin dilaurate | 222-883-3 | 3648-18-8 | | |
| Bis(2-(2-methoxyethoxy)ethyl)ether | | | 205-594-7 | 143-24-8 |
| Dibutylbis(pentane-2,4-dionato-O,O')tin | | | 245-152-0 | 22673-19-4 |
| Butyl 4-hydroxybenzoate | | | 202-318-7 | 94-26-8 |
| 2-methylimidazole | | | 211-765-7 | 693-98-1 |
| 1-vinylimidazole | | | 214-012-0 | 1072-63-5 |
| Perfluorobutane sulfonic acid (PFBS) and its salts | | | - | - |
| bis(4-t-butylphenyl)iodonium perfluorobutanesulfonate | 432-660-4 | - | | |
| tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate | 444-440-5 | 220689-12-3 | | |
| dimethyl(phenyl)sulfanium perfluorobutanesulfonate | 452-310-4 | 220133-51-7 | | |
| 1-(4-butoxy-1-naphthalenyl)tetrahydrothiophenium 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonate | 468-770-4 | - | | |
| Triphenylsulfanium perfluorobutane sulfonate | 478-340-8 | 144317-44-2 | | |
| 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonic acid | 206-793-1 | 375-73-5 | | |
| lithium perfluorobutanesulfonate | - | 131651-65-5 | | |
| morpholinium perfluorobutanesulfonate | - | 503155-89-3 | | |
| N,N,N-triethylethanaminium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate | - | 25628-08-4 | | |
| Potassium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate | 249-616-3 | 29420-49-3 | | |
| Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate | 269-513-7 | 68259-10-9 | | |

| | | | | |
|--|-----------|--------------|-----------|-------------|
| magnesium perfluorobutanesulfonate | - | 507453-86-3 | | |
| Diisohexyl phthalate | | | 276-090-2 | 71850-09-4 |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | | | 400-600-6 | 71868-10-5 |
| 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | | | 404-360-3 | 119313-12-1 |
| Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP) | | | - | - |
| Phenol, 4-nonyl-, phosphite (3:1) | - | 3050-88-2 | | |
| tris(4-nonylphenyl, branched) phosphite | - | - | | |
| tris(nonylphenyl) phosphite | 247-759-6 | 26523-78-4 | | |
| Phenol, p-isononyl-, phosphite (3:1) | - | 31631-13-7 | | |
| Phenol, p-sec-nonyl-, phosphite | - | 106599-06-8 | | |
| 4-tert-butylphenol | | | 202-679-0 | 98-54-4 |
| 2-methoxyethyl acetate | | | 203-772-9 | 110-49-6 |
| 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides covering any of their individual isomers and combinations thereof | | | - | - |
| potassium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionate | 266-578-3 | 67118-55-2 | | |
| 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionyl fluoride | 218-173-8 | 2062-98-8 | | |
| ammonium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate | - | 62037-80-3 | | |
| 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid | 236-236-8 | 13252-13-6 | | |
| Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (-)- | - | 75579-40-7 | | |
| Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (+)- | - | 75579-39-4 | | |
| Pyrene | | | 204-927-3 | 129-00-0 |
| Phenanthrene | | | 201-581-5 | 85-01-8 |
| Fluoranthene | | | 205-912-4 | 206-44-0 |
| Benzo[k]fluoranthene | | | 205-916-6 | 207-08-9 |
| 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | | | 401-720-1 | 6807-17-6 |
| 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one 3-benzylidene camphor; 3-BC | | | 239-139-9 | 15087-24-8 |
| Terphenyl, hydrogenated | | | 262-967-7 | 61788-32-7 |
| Octamethylcyclotetrasiloxane D4 | | | 209-136-7 | 556-67-2 |
| Lead | | | 231-100-4 | 7439-92-1 |
| Ethylenediamine EDA | | | 203-468-6 | 107-15-3 |
| Dodecamethylcyclohexasiloxane D6 | | | 208-762-8 | 540-97-6 |
| Disodium octaborate | | | 234-541-0 | 12008-41-2 |
| Dicyclohexyl phthalate DCHP | | | 201-545-9 | 84-61-7 |
| Decamethylcyclopentasiloxane D5 | | | 208-764-9 | 541-02-6 |
| Benzo[ghi]perylene | | | 205-883-8 | 191-24-2 |
| Benzene-1,2,4-tricarboxylic acid 1,2 anhydride trimellitic anhydride; TMA | | | 209-008-0 | 552-30-7 |
| Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) with $\geq 0.1\%$ w/w 4-heptylphenol, branched and linear (4-HPbl) | | | - | - |
| Formaldehyde, reaction products with branched and linear heptylphenol, carbon disulfide and hydrazine | 300-298-5 | 93925-00-9 | | |
| Reaction product of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and phenol, heptyl derivs. | - | 1471311-26-8 | | |
| Chrysene | | | 205-923-4 | 218-01-9 |
| Cadmium nitrate | | | 233-710-6 | 10325-94-7 |
| Cadmium hydroxide | | | 244-168-5 | 21041-95-2 |
| Cadmium carbonate | | | 208-168-9 | 513-78-0 |

| Benz[a]anthracene | 200-280-6 | 56-55-3 |
|---|-----------|--------------|
| 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof | - | - |
| 1,6,7,8,9,14,15,16,17,17,18,18-dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene | 236-948-9 | 13560-89-9 |
| (1S,2S,5S,6S,9R,10R,13R,14R)-1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1 ^{6,9,02,13,05,10}]octadeca-7,15-diene | - | 135821-74-8 |
| (1S,2S,5R,6R,9S,10S,13R,14R)-1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1 ^{6,9,02,13,05,10}]octadeca-7,15-diene | - | 135821-03-3 |
| rel-(1R,4S,4aS,6aS,7S,10R,10aR,12aR)-1,2,3,4,7,8,9,10,-13,13,14,14-dodecachloro-1,4,4a,5,6,6a,7,10,10a,11,12,12a-dodecahydro-1,4:7,10-dimethanodibenzo[a,e]cyclooctene | - | - |
| rel-(1R,4S,4aS,6aR,7R,10S,10aS,12aR)-1,2,3,4,7,8,9,10,-13,13,14,14-dodecachloro-1,4,4a,5,6,6a,7,10,10a,11,12,12a-dodecahydro-1,4:7,10-dimethanodibenzo[a,e]cyclooctene | - | - |
| Perfluorohexane-1-sulphonic acid and its salts PFHxS | - | - |
| tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1) | 274-462-9 | 70225-16-0 |
| ammonium perfluorohexane-1-sulphonate | 269-511-6 | 68259-08-5 |
| potassium perfluorohexane-1-sulphonate | 223-393-2 | 3871-99-6 |
| perfluorohexane-1-sulphonic acid | 206-587-1 | 355-46-4 |
| Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 1310480-24-0 |
| Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 1310480-27-3 |
| Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 1310480-28-4 |
| Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1) | - | 1329995-45-0 |
| Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1) | - | 1329995-69-8 |
| Sulfonium, (thiodi-4,1-phenylene)bis(diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2) | - | 421555-73-9 |
| Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic | - | 421555-74-0 |
| Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 425670-70-8 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1) | - | 55120-77-9 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt | - | 70136-72-0 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1) | - | 72033-41-1 |
| Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9CI) | - | 866621-50-3 |

| | | |
|---|---|--------------|
| Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 910606-39-2 |
| Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 911027-68-4 |
| Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 ^{3,7}]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 ^{3,7}]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate | - | 911027-69-5 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1) | - | 92011-17-1 |
| Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 928049-42-7 |
| Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 144116-10-9 |
| Quinolinium, 1-(carboxymethyl)-4-[2-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 1462414-59-0 |
| Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 153443-35-7 |
| Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) | - | 189274-31-5 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd.with 2-methyl-2-propanamine (1:1) | - | 202189-84-2 |
| Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 213740-81-9 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt (9Cl) | - | 341035-71-0 |
| Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 341548-85-4 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1) | - | 350836-93-0 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1) | - | 41184-65-0 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1) | - | 41242-12-0 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1) | - | 1187817-57-7 |
| Ethanaminium, N,N,N-triethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) | - | 108427-55-0 |
| 1-Butanaminium, N,N,N-tributyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid | - | 108427-54-9 |
| Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | - | 1000597-52-3 |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, sodium salt | - | 82382-12-5 |

| | | | | |
|--|-----------|---------------|-----------|------------|
| p-(1,1-dimethylpropyl)phenol | | | 201-280-9 | 80-46-6 |
| Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | | | - | - |
| Nonadecafluorodecanoic acid | 206-400-3 | 335-76-2 | | |
| sodium nonadecafluorodecanoate | - | 3830-45-3 | | |
| Decanoic acid, nonadecafluoro-, sodium salt | - | 3830-45-3 | | |
| Ammonium nonadecafluorodecanoate | 221-470-5 | 3108-42-7 | | |
| 4-heptylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof | | | - | - |
| 4-heptylphenol | 217-862-0 | 1987-50-4 | | |
| Phenol, heptyl derivs. | 276-743-1 | 72624-02-3 | | |
| Phenol, 4-(1,1-diethylpropyl)- | - | 37872-24-5 | | |
| Phenol, 4-(1,1-dimethylpentyl)- | - | 30784-31-7 | | |
| Phenol, 4-(1,2,2-trimethylbutyl)- | - | 911371-06-7 | | |
| Phenol, 4-(1,2-dimethylpentyl)- | - | 854904-93-1 | | |
| Phenol, 4-(1,3,3-trimethylbutyl)- | - | 911371-07-8 | | |
| Phenol, 4-(1,3-dimethylpentyl)- | - | 71945-81-8 | | |
| Phenol, 4-(1,4-dimethylpentyl)- | - | 857629-71-1 | | |
| Phenol, 4-(1-ethyl-2,2-dimethylpropyl)- | - | 861010-65-3 | | |
| Phenol, 4-(1-ethyl-1,2-dimethylpropyl)- | - | 30784-27-1 | | |
| Phenol, 4-(1-ethylpentyl)- | - | 6465-74-3 | | |
| Phenol, 4-(1-methylhexyl)- | - | 6863-24-7 | | |
| Phenol, 4-(1-propylbutyl)- | - | 6465-71-0 | | |
| Phenol, 4-(3-ethylpentyl)- | - | 911370-98-4 | | |
| Phenol, 4-(3-methylhexyl)- | - | 102570-52-5 | | |
| Phenol, 4-(4-methylhexyl)- | - | 1139800-98-8 | | |
| Phenol, 4-(5-methylhexyl)- | - | 100532-36-3 | | |
| Phenol, 4-[2-methyl-1-(1-methylethyl)propyl]- | - | 1824346-00-0 | | |
| 4-(2,3-dimethylpentan-2-yl)phenol | 854-135-2 | 861011-60-1 | | |
| 4-(3-methylhexan-3-yl)phenol | 854-958-7 | 30784-32-8 | | |
| Phenol, 4-tert-heptyl- | - | 288864-02-8 | | |
| Phenol, 4-(1,1,3-trimethylbutyl)- | - | 33104-11-9 | | |
| Phenol, 4-(1,1,2,2-tetramethylpropyl)- | - | 72861-06-4 | | |
| Phenol, 4-(1-ethyl-3-methylbutyl)- | - | 854904-92-0 | | |
| 4,4'-isopropylidenediphenol Bisphenol A; BPA | | | 201-245-8 | 80-05-7 |
| Benzo[def]chrysene (Benzo[a]pyrene) | | | 200-028-5 | 50-32-8 |
| Perfluorononan-1-oic-acid and its sodium and ammonium salts | | | - | - |
| Perfluorononan-1-oic-acid | 206-801-3 | 375-95-1 | | |
| Sodium salts of perfluorononan-1-oic-acid | - | -, 21049-39-8 | | |
| Ammonium salts of perfluorononan-1-oic-acid | - | -, 4149-60-4 | | |
| Nitrobenzene | | | 202-716-0 | 98-95-3 |
| 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) | | | 253-037-1 | 36437-37-3 |
| 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | | | 223-383-8 | 3864-99-1 |
| 1,3-propanesultone | | | 214-317-9 | 1120-71-4 |
| 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] covering any of the individual stereoisomers of [1] and [2] or any combination thereof | | | - | - |
| Reaction mass of 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane and 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane | 413-720-9 | 117933-89-8 | | |
| 1,3-Dioxane, 2-[(1S,2S)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, trans- | - | 676367-06-9 | | |
| 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane | - | - | | |
| 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane | - | - | | |

| | | | | |
|--|-----------|-------------|-----------|------------------------|
| 1,3-Dioxane, 2-(2,4-dimethyl-3-cyclohexen-1-yl)-5-methyl-5-(1-methylpropyl)- | - | 186309-28-4 | | |
| 1,3-Dioxane, 2-(2,4-dimethyl-3-cyclohexen-1-yl)-5-methyl-5-(1-methylpropyl)- | - | 117933-89-8 | | |
| 1,3-Dioxane, 2-[(1R,2R)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, cis- | - | 676367-05-8 | | |
| 1,3-Dioxane, 2-[(1R,2R)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, cis-rel- | - | 343934-04-3 | | |
| 1,3-Dioxane, 2-[(1R,2R)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, trans- | - | 676367-09-2 | | |
| 1,3-Dioxane, 2-[(1R,2R)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, trans-rel- | - | 343934-05-4 | | |
| 1,3-Dioxane, 2-[(1R,2S)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, cis- | - | 676367-04-7 | | |
| 1,3-Dioxane, 2-[(1R,2S)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, trans- | - | 676367-08-1 | | |
| 1,3-Dioxane, 2-[(1S,2R)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, cis- | - | 676367-03-6 | | |
| 1,3-Dioxane, 2-[(1S,2R)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, trans- | - | 676367-07-0 | | |
| 1,3-Dioxane, 2-[(1S,2S)-2,4-dimethyl-3-cyclohexen-1-yl]-5-methyl-5-(1-methylpropyl)-, cis- | - | 676367-02-5 | | |
| Reaction mass of 5-[(2R)-butan-2-yl]-2-[(1R,2R)-2,4-dimethylcyclohex-3-en-1-yl]-5-methyl-1,3-dioxane and 5-[(2R)-butan-2-yl]-2-[(1R,6R)-4,6-dimethylcyclohex-3-en-1-yl]-5-methyl-1,3-dioxane and 5-[(2S)-butan-2-yl]-2-[(1R,2R)-2,4-dimethylcyclohex-3-en-1-yl]-5-methyl-1,3-dioxane and 5-[(2S)-butan-2-yl]-2-[(1S,2R)-2,4-dimethylcyclohex-3-en-1-yl]-5-methyl-1,3-dioxane and 5-[(2S)-butan-2-yl]-2-[(1S,6R)-4,6-dimethylcyclohex-3-en-1-yl]-5-methyl-1,3-dioxane | - | - | | |
| 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate (EC No. 201-559-5) | | | - | - |
| 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters | 272-013-1 | 68648-93-1 | | |
| 1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters | 271-094-0 | 68515-51-5 | | |
| Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) | | | - | - |
| Cadmium sulphate | | | 233-331-6 | 10124-36-4, 31119-53-6 |
| Cadmium fluoride | | | 232-222-0 | 7790-79-6 |
| 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) | | | 239-622-4 | 15571-58-1 |
| 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | | | 223-346-6 | 3846-71-7 |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | | | 247-384-8 | 25973-55-1 |
| Sodium peroxometaborate | | | 231-556-4 | 7632-04-4 |
| Sodium perborate, perboric acid, sodium salt | | | - | - |
| Perboric acid (H ₃ BO ₂ (O ₂)), monosodium salt, trihydrate | 603-902-8 | 13517-20-9 | | |
| Borate(2-), tetrahydroxybis[μ-(peroxy-κO1:κO2)]di-, sodium (1:2) | - | 90568-23-3 | | |
| Sodium perborate | 239-172-9 | 15120-21-5 | | |
| Perboric acid, sodium salt | 234-390-0 | 11138-47-9 | | |
| Borate(2-), tetrahydroxybis[μ-(peroxy-κO1:κO2)]di-, sodium, hydrate (1:2:6) | - | 125022-34-6 | | |
| Cadmium chloride | | | 233-296-7 | 10108-64-2 |
| 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | | | 271-093-5 | 68515-50-4 |
| Trixylyl phosphate | | | 246-677-8 | 25155-23-1 |
| Lead di(acetate) | | | 206-104-4 | 301-04-2 |
| Imidazolidine-2-thione (2-imidazoline-2-thiol) | | | 202-506-9 | 96-45-7 |
| Disodium 4-amino-3-[[4'-(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) | | | 217-710-3 | 1937-37-7 |
| Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | | | 209-358-4 | 573-58-0 |
| Dihexyl phthalate | | | 201-559-5 | 84-75-3 |

| | | | | |
|--|-----------|--------------|-----------|------------|
| Cadmium sulphide | | | 215-147-8 | 1306-23-6 |
| Pentadecafluorooctanoic acid (PFOA) | | | 206-397-9 | 335-67-1 |
| Dipentyl phthalate (DPP) | | | 205-017-9 | 131-18-0 |
| Cadmium oxide | | | 215-146-2 | 1306-19-0 |
| Cadmium | | | 231-152-8 | 7440-43-9 |
| Ammonium pentadecafluorooctanoate (APFO) | | | 223-320-4 | 3825-26-1 |
| 4-Nonylphenol, branched and linear, ethoxylated substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof | | | - | - |
| Nonylphenol, ethoxylated | 500-024-6 | 9016-45-9 | | |
| 4-Nonylphenol, ethoxylated 1 - 2.5 moles ethoxylated | 500-045-0 | 26027-38-3 | | |
| 2-[2-[2-(4-nonylphenoxy)ethoxy]ethoxy]ethoxy] ethanol | 230-770-5 | 7311-27-5 | | |
| 2-[2-(4-nonylphenoxy)ethoxy]ethanol | 243-816-4 | 20427-84-3 | | |
| 20-(4-nonylphenoxy)-3,6,9,12,15,18-hexaoxaicosan-1-ol | 248-743-1 | 27942-27-4 | | |
| 26-(4-Nonylphenoxy)-3,6,9,12,15,18,21,24- octa-oxahexacosan -1-ol | - | 14409-72-4 | | |
| Poly(oxy-1,2-ethanediyl), α -(nonylphenyl)- ω -hydroxy-, branched | - | 68412-54-4 | | |
| Poly (oxy-1,2-ethanediyl), α -(nonylphenyl)- ω -hydroxy-, branched (CAS# 68412-54-4) | 932-337-2 | 68412-54-4 | | |
| Nonylphenol, ethoxylated (15-EO) (9016-45-9) | 931-756-8 | - | | |
| Nonylphenol, ethoxylated (10-EO) (9016-45-9) | 931-755-2 | - | | |
| Nonylphenol, ethoxylated (8-EO) (9016-45-9) | 931-754-7 | - | | |
| Nonylphenol, ethoxylated (6,5-EO) (9016-45-9) | 931-753-1 | - | | |
| Nonylphenol, branched, ethoxylated 1 - 2.5 moles ethoxylated | 500-209-1 | 68412-54-4 | | |
| 2-[4-(3,6-dimethylheptan-3-yl)phenoxy]ethanol | 687-832-3 | 1119449-37-4 | | |
| 14-(nonylphenoxy)-3,6,9,12-tetraoxatetradecan-1-ol | 247-555-7 | 26264-02-8 | | |
| Nonylphenol, ethoxylated (polymer) | 938-618-6 | - | | |
| Nonylphenol, ethoxylated (EO = 4) | 939-975-0 | - | | |
| Nonylphenol, ethoxylated (EO = 10) | 939-993-9 | - | | |
| Nonylphenolpolyglycoether | 932-998-7 | - | | |
| 26-(nonylphenoxy)-3,6,9,12,15,18,21,24- octa-oxahexacosan-1-ol | 247-816-5 | 26571-11-9 | | |
| Ethanol, 2-(4-nonylphenoxy)- | - | 104-35-8 | | |
| 4-Nonylphenol, branched, ethoxylated (CAS: 127087-87-0) | 932-098-4 | 127087-87-0 | | |
| 3,6,9,12-Tetraoxatetradecan-1-ol, 14-(4-nonylphenoxy)- | - | 20636-48-0 | | |
| 4-t-Nonylphenol-diethoxylate | - | 156609-10-8 | | |
| Isononylphenol, ethoxylated | 609-346-2 | 37205-87-1 | | |
| p-Nonylphenol hexaethoxylate | - | 34166-38-6 | | |
| Poly(oxy-1,2-ethanediyl), α -(nonylphenyl)- ω -hydroxy- (CAS 9016-45-9) | 931-562-3 | 9016-45-9 | | |
| 4-Nonylphenol, branched, ethoxylated 1 - 2.5 moles ethoxylated | 500-315-8 | 127087-87-0 | | |
| 23-(nonylphenoxy)-3,6,9,12,15,18,21-hepta-oxatricosan-1-ol | 248-293-6 | 27177-05-5 | | |
| 2-[2-[4-(3,6-dimethylheptan-3-yl)phenoxy]ethoxy] ethanol | 687-833-9 | 1119449-38-5 | | |
| Trilead dioxide phosphonate | | | 235-252-2 | 12141-20-7 |
| Trilead bis(carbonate) dihydroxide | | | 215-290-6 | 1319-46-6 |
| Tricosafuorododecanoic acid | | | 206-203-2 | 307-55-1 |
| Tetralead trioxide sulphate | | | 235-380-9 | 12202-17-4 |
| Tetraethyllead | | | 201-075-4 | 78-00-2 |
| Sulfurous acid, lead salt, dibasic | | | 263-467-1 | 62229-08-7 |
| Silicic acid, lead salt | | | 234-363-3 | 11120-22-2 |

| | | |
|--|-----------|-------------|
| Silicic acid (H ₂ SiO ₅), barium salt (1:1), lead-doped with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD), the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008 | 272-271-5 | 68784-75-8 |
| Pyrochlore, antimony lead yellow - | 232-382-1 | 8012-00-8 |
| Pentalead tetraoxide sulphate | 235-067-7 | 12065-90-6 |
| Pentacosafluorotridecanoic acid | 276-745-2 | 72629-94-8 |
| Orange lead (lead tetroxide) | 215-235-6 | 1314-41-6 |
| o-toluidine | 202-429-0 | 95-53-4 |
| o-aminoazotoluene | 202-591-2 | 97-56-3 |
| n-pentyl-isopentylphthalate | 933-378-9 | 776297-69-9 |
| N-methylacetamide | 201-182-6 | 79-16-3 |
| N,N-dimethylformamide | 200-679-5 | 68-12-2 |
| Methyloxirane (Propylene oxide) | 200-879-2 | 75-56-9 |
| Methoxyacetic acid | 210-894-6 | 625-45-6 |
| Lead titanium zirconium oxide | 235-727-4 | 12626-81-2 |
| Lead titanium trioxide | 235-038-9 | 12060-00-3 |
| Lead oxide sulfate | 234-853-7 | 12036-76-9 |
| Lead monoxide (lead oxide) | 215-267-0 | 1317-36-8 |
| Lead dinitrate | 233-245-9 | 10099-74-8 |
| Lead cyanamidate | 244-073-9 | 20837-86-9 |
| Lead bis(tetrafluoroborate) | 237-486-0 | 13814-96-5 |
| Hexahydromethylphthalic anhydride including cis- and trans- stereo isomeric forms and all possible combinations of the isomers | - | - |
| Hexahydromethylphthalic anhydride | 247-094-1 | 25550-51-0 |
| Hexahydro-3-methylphthalic anhydride | 260-566-1 | 57110-29-9 |
| Hexahydro-1-methylphthalic anhydride | 256-356-4 | 48122-14-1 |
| Hexahydro-4-methylphthalic anhydride | 243-072-0 | 19438-60-9 |
| Heptacosafuorotetradecanoic acid | 206-803-4 | 376-06-7 |
| Henicosafuoroundecanoic acid | 218-165-4 | 2058-94-8 |
| Furan | 203-727-3 | 110-00-9 |
| Fatty acids, C16-18, lead salts | 292-966-7 | 91031-62-8 |
| Dioxobis(stearato)trilead | 235-702-8 | 12578-12-0 |
| Dinoseb (6-sec-butyl-2,4-dinitrophenol) | 201-861-7 | 88-85-7 |
| Dimethyl sulphate | 201-058-1 | 77-78-1 |
| Diisopentyl phthalate | 210-088-4 | 605-50-5 |
| Diethyl sulphate | 200-589-6 | 64-67-5 |
| Dibutyltin dichloride (DBTC) | 211-670-0 | 683-18-1 |
| Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) | 204-650-8 | 123-77-3 |
| Cyclohexane-1,2-dicarboxylic anhydride all possible combinations of the cis- and trans-isomers | - | - |
| cis-cyclohexane-1,2-dicarboxylic anhydride | 236-086-3 | 13149-00-3 |
| trans-cyclohexane-1,2-dicarboxylic anhydride | 238-009-9 | 14166-21-3 |
| Cyclohexane-1,2-dicarboxylic anhydride | 201-604-9 | 85-42-7 |
| Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE) | 214-604-9 | 1163-19-5 |
| Biphenyl-4-ylamine | 202-177-1 | 92-67-1 |
| Acetic acid, lead salt, basic | 257-175-3 | 51404-69-4 |
| [Phthalato(2-)]dioxotrilead | 273-688-5 | 69011-06-9 |
| 6-methoxy-m-toluidine (p-cresidine) | 204-419-1 | 120-71-8 |
| 4-Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof | - | - |
| p-(1-methyloctyl)phenol | 241-427-4 | 17404-66-9 |
| p-nonylphenol | 203-199-4 | 104-40-5 |
| 4-(1-Ethyl-1,4-dimethylpentyl)phenol | - | 142731-63-3 |
| 4-(1-Ethyl-1,3-dimethylpentyl)phenol | - | 186825-36-5 |

| | | | | |
|---|-----------|-------------|-----------|-------------|
| p-(1,1-dimethylheptyl)phenol | 250-339-5 | 30784-30-6 | | |
| 4-(1-ethyl-1-methylhexyl)phenol | 257-907-1 | 52427-13-1 | | |
| p-isononylphenol | 247-770-6 | 26543-97-5 | | |
| Phenol, 4-nonyl-, branched | 284-325-5 | 84852-15-3 | | |
| 4-(1,1,5-Trimethylhexyl)phenol | - | 521947-27-3 | | |
| Isononylphenol | 234-284-4 | 11066-49-2 | | |
| Phenol, nonyl-, branched | 291-844-0 | 90481-04-2 | | |
| 4-(3-ethylheptan-2-yl)phenol | 635-696-0 | 186825-39-8 | | |
| Nonylphenol | 246-672-0 | 25154-52-3 | | |
| 4-methyl-m-phenylenediamine (toluene-2,4-diamine) | | | 202-453-1 | 95-80-7 |
| 4-aminoazobenzene | | | 200-453-6 | 60-09-3 |
| 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated covering well-defined substances and UVCB substances, polymers and homologues | | | - | - |
| Poly(oxy-1,2-ethanediyl), α-[[1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy- | - | 9036-19-5 | | |
| Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenyl ether | - | 9002-93-1 | | |
| 20-[4-(1,1,3,3-tetramethylbutyl)phenoxy]-3,6,9,12,15,18-hexaoxaicosan-1-ol | 219-682-8 | 2497-59-8 | | |
| 2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]ethanol | - | 2315-67-5 | | |
| 2-[2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]ethoxy]ethanol, 2-[2-[4-(2,4,4-trimethylpentan-2-yl)phenoxy]ethoxy]ethanol | 621-341-7 | 2315-61-9 | | |
| 4,4'-oxydianiline and its salts | | | - | - |
| 4,4'-oxydianiline | 202-977-0 | 101-80-4 | | |
| 4,4'-methylenedi-o-toluidine | | | 212-658-8 | 838-88-0 |
| 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | | | 421-150-7 | 143860-04-2 |
| 1-bromopropane (n-propyl bromide) | | | 203-445-0 | 106-94-5 |
| 1,2-diethoxyethane | | | 211-076-1 | 629-14-1 |
| 1,2-Benzenedicarboxylic acid, dipentyl ester, branched and linear | | | 284-032-2 | 84777-06-0 |
| α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2) | | | 229-851-8 | 6786-83-0 |
| N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) | | | 202-959-2 | 101-61-1 |
| Lead(II) bis(methanesulfonate) | | | 401-750-5 | 17570-76-2 |
| - | | | | |
| Formamide | | | 200-842-0 | 75-12-7 |
| Diboron trioxide | | | 215-125-8 | 1303-86-2 |
| [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2) | | | 219-943-6 | 2580-56-5 |
| [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2) | | | 208-953-6 | 548-62-9 |
| 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) | | | 202-027-5 | 90-94-8 |
| 4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2) | | | 209-218-2 | 561-41-1 |
| 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC) - | | | 423-400-0 | 59653-74-6 |
| 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazine-2,4,6-trione (TGIC) | | | 219-514-3 | 2451-62-9 |
| 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | | | 203-977-3 | 112-49-2 |
| 1, 2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | | | 203-794-9 | 110-71-4 |
| Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight | | | - | - |
| Refractories, fibers, aluminosilicate | - | 142844-00-6 | | |
| Trilead diarsenate | | | 222-979-5 | 3687-31-8 |
| Potassium hydroxyoctaoxidizincatedichromate | | | 234-329-8 | 11103-86-9 |

| | | | | |
|---|-----------|-------------|-----------|----------------------------------|
| Phenolphthalein | | | 201-004-7 | 77-09-8 |
| Pentazinc chromate octahydroxide | | | 256-418-0 | 49663-84-5 |
| N,N-dimethylacetamide | | | 204-826-4 | 127-19-5 |
| Lead styphnate | | | 239-290-0 | 15245-44-0 |
| Lead dipicrate | | | 229-335-2 | 6477-64-1 |
| Lead diazide, Lead azide | | | 236-542-1 | 13424-46-9 |
| Formaldehyde, oligomeric reaction products with aniline | | | 500-036-1 | 25214-70-4 |
| Dichromium tris(chromate) | | | 246-356-2 | 24613-89-6 |
| Calcium arsenate | | | 231-904-5 | 7778-44-1 |
| Bis(2-methoxyethyl) phthalate | | | 204-212-6 | 117-82-8 |
| Bis(2-methoxyethyl) ether | | | 203-924-4 | 111-96-6 |
| Arsenic acid | | | 231-901-9 | 7778-39-4 |
| Aluminosilicate Refractory Ceramic Fibres | | | - | - |
| are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight | | | | |
| Refractories, fibers, aluminosilicate | - | 142844-00-6 | | |
| 4-(1,1,3,3-tetramethylbutyl)phenol | | | 205-426-2 | 140-66-9 |
| 2-Methoxyaniline, o-Anisidine | | | 201-963-1 | 90-04-0 |
| 2,2'-dichloro-4,4'-methylenedianiline | | | 202-918-9 | 101-14-4 |
| 1,2-dichloroethane | | | 203-458-1 | 107-06-2 |
| Strontium chromate | | | 232-142-6 | 7789-06-2 |
| Hydrazine | | | 206-114-9 | 302-01-2, 7803-57-8 |
| 2-ethoxyethyl acetate | | | 203-839-2 | 111-15-9 |
| 1-Methyl-2-pyrrolidone (NMP) | | | 212-828-1 | 872-50-4 |
| 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | | | 271-084-6 | 68515-42-4 |
| 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich | | | 276-158-1 | 71888-89-6 |
| 1,2,3-trichloropropane | | | 202-486-1 | 96-18-4 |
| Cobalt(II) sulphate | | | 233-334-2 | 10124-43-3 |
| Cobalt(II) dinitrate | | | 233-402-1 | 10141-05-6 |
| Cobalt(II) diacetate | | | 200-755-8 | 71-48-7 |
| Cobalt(II) carbonate | | | 208-169-4 | 513-79-1 |
| Chromium trioxide | | | 215-607-8 | 1333-82-0 |
| Acids generated from chromium trioxide and their oligomers | | | - | - |
| Oligomers of chromic acid and dichromic acid | - | - | | |
| Chromic acid | 231-801-5 | 7738-94-5 | | |
| Dichromic acid | 236-881-5 | 13530-68-2 | | |
| 2-methoxyethanol | | | 203-713-7 | 109-86-4 |
| 2-ethoxyethanol | | | 203-804-1 | 110-80-5 |
| Trichloroethylene | | | 201-167-4 | 79-01-6 |
| Tetraboron disodium heptaoxide, hydrate | | | 235-541-3 | 12267-73-1 |
| Sodium chromate | | | 231-889-5 | 7775-11-3 |
| Potassium dichromate | | | 231-906-6 | 7778-50-9 |
| Potassium chromate | | | 232-140-5 | 7789-00-6 |
| Disodium tetraborate, anhydrous | | | 215-540-4 | 12179-04-3, 1303-96-4, 1330-43-4 |
| Boric acid | | | - | - |
| EC No. 233-139-2 and EC No. 234-343-4 | | | | |
| Boric acid, crude natural | 234-343-4 | 11113-50-1 | | |
| Boric acid | 233-139-2 | 10043-35-3 | | |
| Ammonium dichromate | | | 232-143-1 | 7789-09-5 |
| Acrylamide | | | 201-173-7 | 79-06-1 |
| Tris(2-chloroethyl) phosphate | | | 204-118-5 | 115-96-8 |
| Pitch, coal tar, high-temp. | | | 266-028-2 | 65996-93-2 |
| - | | | | |

| | | |
|---|-----------|-----------------------|
| Lead sulfochromate yellow (C.I. Pigment Yellow 34) - | 215-693-7 | 1344-37-2 |
| Lead chromate molybdate sulphate red (C.I. Pigment Red 104) - | 235-759-9 | 12656-85-8 |
| Lead chromate | 231-846-0 | 7758-97-6 |
| Diisobutyl phthalate | 201-553-2 | 84-69-5 |
| Anthracene oil, anthracene-low - | 292-604-8 | 90640-82-7 |
| Anthracene oil, anthracene paste, distn. lights - | 295-278-5 | 91995-17-4 |
| Anthracene oil, anthracene paste, anthracene fraction - | 295-275-9 | 91995-15-2 |
| Anthracene oil, anthracene paste - | 292-603-2 | 90640-81-6 |
| Anthracene oil - | 292-602-7 | 90640-80-5 |
| 2,4-dinitrotoluene | 204-450-0 | 121-14-2 |
| Triethyl arsenate - | 427-700-2 | 15606-95-8 |
| Sodium dichromate | 234-190-3 | 10588-01-9, 7789-12-0 |
| Lead hydrogen arsenate | 232-064-2 | 7784-40-9 |
| Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified | - | - |
| Hexabromocyclododecane | 247-148-4 | 25637-99-4 |
| 1,2,5,6,9,10-hexabromocyclododecane | 221-695-9 | 3194-55-6 |
| alpha-hexabromocyclododecane | - | 134237-50-6 |
| beta-hexabromocyclododecane | - | 134237-51-7 |
| gamma-hexabromocyclododecane | - | 134237-52-8 |
| Dibutyl phthalate (DBP) | 201-557-4 | 84-74-2 |
| Diarsenic trioxide | 215-481-4 | 1327-53-3 |
| Diarsenic pentaoxide | 215-116-9 | 1303-28-2 |
| Cobalt dichloride | 231-589-4 | 7646-79-9 |
| Bis(tributyltin) oxide (TBTO) | 200-268-0 | 56-35-9 |
| Bis (2-ethylhexyl)phthalate (DEHP) | 204-211-0 | 117-81-7 |
| Benzyl butyl phthalate (BBP) | 201-622-7 | 85-68-7 |
| Anthracene | 204-371-1 | 120-12-7 |
| Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) | 287-476-5 | 85535-84-8 |
| 5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene) | 201-329-4 | 81-15-2 |
| 4,4'- Diaminodiphenylmethane (MDA) | 202-974-4 | 101-77-9 |

Anhang XVII – REACH Verordnung

Beschränkungen für die Herstellung, das Inverkehrbringen und die Verwendung bestimmter gefährlicher Stoffe, Zubereitungen und Erzeugnisse

https://echa.europa.eu/it/substances-restricted-under-reach?p_p_id=disslists_WAR_disslistsportlet&p_p_lifecycle=1&p_p_state=normal&p_p_mode=view&disslists_WAR_disslistsportlet_javax.portlet.action=searchDissLists

Finder erklärt, dass seine Produkte keine der in der Liste, Anhang XVII – REACH Verordnung, aufgeführten Substanzen in einer Konzentration über den vorgeschriebenen Grenzwerten enthalten.